Previous Data on the Radiation Level of Purified Water at Main Water Purification Plants of Tokyo Waterworks in September

The previous results on purified water in September are as follows.

Since August 1st 2011, purified water at Misato, Misono, Sakai, Kinuta, and Kinutashimo Purification Plant has been tested at Water Quality Management Center.

1 Kanamachi Purification Plant (Edogawa River)

(Bq/kg)

Sampling		Radioactive	e Iodir	ne			Radioactive	Cesiu	ım		Radioactive (Cesiu	ım
Date		(Iodine	e131)				(Cesiun	n134)			(Cesium13	37)	
2011/9/1	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.9)
2011/9/2	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9)	ND	(Detection Li	imit	0.8)
2011/9/3	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9)	ND	(Detection Li	imit	1)
2011/9/4	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9)	ND	(Detection Li	imit	0.9)
2011/9/5	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9)	ND	(Detection Li	imit	0.8)
2011/9/6	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.9)
2011/9/7	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.9)
2011/9/8	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.9)
2011/9/9	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9)	ND	(Detection Li	imit	0.9)
2011/9/10	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.8)
2011/9/11	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.9)
2011/9/12	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	1)	ND	(Detection Li	imit	0.9)
2011/9/13	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.8)
2011/9/14	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.7)	ND	(Detection Li	imit	0.8)
2011/9/15	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.9)
2011/9/16	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9)	ND	(Detection Li	imit	0.9)
2011/9/17	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.8)
2011/9/18	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.8)
2011/9/19	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9)	ND	(Detection Li	imit	0.8)
2011/9/20	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.8)
2011/9/21	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.8)
2011/9/22	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9)	ND	(Detection Li	imit	0.8)
2011/9/23	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9)	ND	(Detection Li	imit	0.8)
2011/9/24	ND	(Detection	Limit	0.6)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.9)
2011/9/25	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9)	ND	(Detection Li	imit	0.9)
2011/9/26	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.8)
2011/9/27	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.9)
2011/9/28	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.9)
2011/9/29	ND	(Detection	Limit	0.9)	ND	(Detection	Limit	0.9)	ND	(Detection Li	imit	0.8)
2011/9/30	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection Li	imit	0.9)

- 1 Sampling time: 6:00 A.M.
- 2 Testing institute: Water Quality Management Center
- 3 ND (Not detectable): "Detection Limit" refers to the minimum detectable value. Radioactivity has the property wherein even using the same measurement device, the minimum level varies with the sample being measured. For example, a result of "ND (Detection Limit 0.8)" at X Purification Plant on a specific date means that the minimum measurement for that day's sample was 0.8 Bq/kg, but the concentration of radioactive particles in the sample was less than 0.8 Bq/kg. Cases such as this are listed in the above chart as "ND".

2 Asaka Purification Plant (Arakawa River)

Sampling	Radioactive Iodine	Radioactive Cesium	Radioactive Cesium
Date	(Iodine131)	(Cesium134)	(Cesium137)
2011/9/1	ND (Detection Limit 0.8)	ND (Detection Limit 0.8)	ND (Detection Limit 0.9)

2011/9/2	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.9)
2011/9/3	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9	NI	D (Detection Limit	0.9)
2011/9/4	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.9)
2011/9/5	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.9)
2011/9/6	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8	NI	O (Detection Limit	0.9)
2011/9/7	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8	NI	O (Detection Limit	0.8)
2011/9/8	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8	NI	O (Detection Limit	1)
2011/9/9	ND	(Detection	Limit	0.6)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.8)
2011/9/10	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.8)
2011/9/11	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.7	NI	O (Detection Limit	0.9)
2011/9/12	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.8)
2011/9/13	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.9)
2011/9/14	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8	NI	O (Detection Limit	0.9)
2011/9/15	ND	(Detection	Limit	0.9)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.9)
2011/9/16	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.8)
2011/9/17	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.9)
2011/9/18	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8	NI	O (Detection Limit	0.9)
2011/9/19	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8	NI	O (Detection Limit	0.9)
2011/9/20	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.7	NI	D (Detection Limit	0.9)
2011/9/21	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8	NI	D (Detection Limit	0.9)
2011/9/22	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.6	NI	O (Detection Limit	0.8)
2011/9/23	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.8)
2011/9/24	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.7	NI	D (Detection Limit	0.9)
2011/9/25	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8	NI	O (Detection Limit	0.8)
2011/9/26	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.9)
2011/9/27	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8	NI	O (Detection Limit	0.9)
2011/9/28	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.9)
2011/9/29	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9	NI	O (Detection Limit	0.9)
2011/9/30	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8	NI	O (Detection Limit	0.9)

- 1 Sampling time: 6:00 A.M.
- 2 Testing institute: Water Quality Management Center
- 3 ND (Not detectable): "Detection Limit" refers to the minimum detectable value. Radioactivity has the property wherein even using the same measurement device, the minimum level varies with the sample being measured. For example, a result of "ND (Detection Limit 0.8)" at X Purification Plant on a specific date means that the minimum measurement for that day's sample was 0.8 Bq/kg, but the concentration of radioactive particles in the sample was less than 0.8 Bq/kg. Cases such as this are listed in the above chart as "ND".
- 4 2011/9/3 ~ 2011/9/6 : Arakawa River 、 Tamagawa River

3 Ozaku Purification Plant (Tamagawa River)

Sampling		Radioactive	e Iodir	ne			Radioactive	Cesiu	ım		Radioactive	Cesiu	ım
Date		(Iodine	e131)				(Cesiun	n134)			(Cesiun	n137)	
2011/9/1	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8	ND	(Detection	Limit	0.8)
2011/9/2	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9	ND	(Detection	Limit	0.9)
2011/9/3	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9	ND	(Detection	Limit	0.8)
2011/9/4	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.7	ND	(Detection	Limit	0.9)
2011/9/5	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8	ND	(Detection	Limit	0.9)
2011/9/6	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9	ND	(Detection	Limit	0.9)
2011/9/7	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8	ND	(Detection	Limit	0.8
2011/9/8	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.7	ND	(Detection	Limit	0.8)
2011/9/9	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.7	ND	(Detection	Limit	0.9)
2011/9/10	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8	ND	(Detection	Limit	0.9)
2011/9/11	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8	ND	(Detection	Limit	0.9)
2011/9/12	ND	(Detection	Limit	0.9)	ND	(Detection	Limit	0.8	ND	(Detection	Limit	0.9)
2011/9/13	ND	(Detection	Limit	0.6)	ND	(Detection	Limit	0.9	ND	(Detection	Limit	1)

2011/9/14	ND	(Detection	Limit	0.7	7	ND	(Detection 1	Limit	0.9)	ND	(Detection	Limit	0.9)
					<u> </u>		· ·			,				,
2011/9/15	ND	(Detection	Limit	0.8)	ND	(Detection 1	Limit	0.8)	ND	(Detection	Limit	0.9)
2011/9/16	ND	(Detection	Limit	0.7)	ND	(Detection 1	Limit	0.8)	ND	(Detection	Limit	0.9)
2011/9/17	ND	(Detection	Limit	0.7)	ND	(Detection 1	Limit	0.8)	ND	(Detection	Limit	1)
2011/9/18	ND	(Detection	Limit	0.7)	ND	(Detection 1	Limit	0.8)	ND	(Detection	Limit	0.9)
2011/9/19	ND	(Detection	Limit	0.7)	ND	(Detection 1	Limit	0.9)	ND	(Detection	Limit	0.9)
2011/9/20	ND	(Detection	Limit	0.8)	ND	(Detection 1	Limit	0.8)	ND	(Detection	Limit	0.9)
2011/9/21	ND	(Detection	Limit	0.8)	ND	(Detection 1	Limit	0.8)	ND	(Detection	Limit	0.9)
2011/9/22	ND	(Detection	Limit	0.7)	ND	(Detection 1	Limit	0.9)	ND	(Detection	Limit	0.9)
2011/9/23	ND	(Detection	Limit	0.7)	ND	(Detection 1	Limit	0.7)	ND	(Detection	Limit	0.8)
2011/9/24	ND	(Detection	Limit	0.7)	ND	(Detection 1	Limit	0.9)	ND	(Detection	Limit	0.9)
2011/9/25	ND	(Detection	Limit	0.7)	ND	(Detection 1	Limit	0.7)	ND	(Detection	Limit	0.9)
2011/9/26	ND	(Detection	Limit	0.9)	ND	(Detection 1	Limit	0.8)	ND	(Detection	Limit	0.9)
2011/9/27	ND	(Detection	Limit	0.7)	ND	(Detection 1	Limit	0.8)	ND	(Detection	Limit	0.9)
2011/9/28	ND	(Detection	Limit	0.8)	ND	(Detection 1	Limit	0.8)	ND	(Detection	Limit	0.9)
2011/9/29	ND	(Detection	Limit	0.7)	ND	(Detection 1	Limit	0.7)	ND	(Detection	Limit	0.8)
2011/9/30	ND	(Detection	Limit	0.7)	ND	(Detection 1	Limit	0.8)	ND	(Detection	Limit	0.7)

- 1 Sampling time: 6:00 A.M.
- 2 Testing institute: Water Quality Management Center
- 3 ND (Not detectable): "Detection Limit" refers to the minimum detectable value. Radioactivity has the property wherein even using the same measurement device, the minimum level varies with the sample being measured. For example, a result of "ND (Detection Limit 0.8)" at X Purification Plant on a specific date means that the minimum measurement for that day's sample was 0.8 Bq/kg, but the concentration of radioactive particles in the sample was less than 0.8 Bq/kg. Cases such as this are listed in the above chart as "ND".

4 Higashi-murayama Purification Plant (Arakawa River, Tamagawa River)

Sampling		Radioactive	e Iodir	ne			Radioactive	Cesiu	ım		Radioactive	Cesiu	m
Date		(Iodine	e131)				(Cesiun	n134)			(Cesium1	37)	
2011/9/1	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection L	imit	0.9)
2011/9/2	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection L	imit	0.9)
2011/9/3	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.7)	ND	(Detection L	imit	0.8)
2011/9/4	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	1)	ND	(Detection L	imit	1)
2011/9/5	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.7)	ND	(Detection L	imit	0.9)
2011/9/6	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.7)	ND	(Detection L	imit	0.9)
2011/9/7	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection L	imit	0.8)
2011/9/8	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection L	imit	0.9)
2011/9/9	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9)	ND	(Detection L	imit	0.9)
2011/9/10	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection L	imit	0.9)
2011/9/11	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9)	ND	(Detection L	imit	0.9)
2011/9/12	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9)	ND	(Detection L	imit	0.9)
2011/9/13	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.8)	ND	(Detection L	imit	0.9)
2011/9/14	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection L	imit	0.8)
2011/9/15	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9)	ND	(Detection L	imit	0.9)
2011/9/16	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9)	ND	(Detection L	imit	0.8)
2011/9/17	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection L	imit	1)
2011/9/18	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection L	imit	1)
2011/9/19	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9)	ND	(Detection L	imit	0.9)
2011/9/20	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9)	ND	(Detection L	imit	0.9)
2011/9/21	ND	(Detection	Limit	0.9)	ND	(Detection	Limit	0.8)	ND	(Detection L	imit	1)
2011/9/22	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9)	ND	(Detection L	imit	0.9)
2011/9/23	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.8)	ND	(Detection L	imit	0.9)
2011/9/24	ND	(Detection	Limit	0.7)	ND	(Detection	Limit	0.9)	ND	(Detection L	imit	1)
2011/9/25	ND	(Detection	Limit	0.8)	ND	(Detection	Limit	0.9)	ND	(Detection L	imit	0.9)

2011/9/26	ND	(Detection	Limit	0.8)	ND	(Detection Limit	0.9	ND	(Detection Limit	0.9)
2011/9/27	ND	(Detection	Limit	0.7)	ND	(Detection Limit	0.8	ND	(Detection Limit	1)
2011/9/28	ND	(Detection	Limit	0.8)	ND	(Detection Limit	0.8	ND	(Detection Limit	0.9)
2011/9/29	ND	(Detection	Limit	0.8)	ND	(Detection Limit	0.7	ND	(Detection Limit	0.9)
2011/9/30	ND	(Detection	Limit	0.8)	ND	(Detection Limit	0.8	ND	(Detection Limit	0.8)

- 1 Sampling time: 6:00 A.M.
- 2 Testing institute: Water Quality Management Center
- 3 ND (Not detectable): "Detection Limit" refers to the minimum detectable value. Radioactivity has the property wherein even using the same measurement device, the minimum level varies with the sample being measured. For example, a result of "ND (Detection Limit 0.8)" at X Purification Plant on a specific date means that the minimum measurement for that day's sample was 0.8 Bq/kg, but the concentration of radioactive particles in the sample was less than 0.8 Bq/kg. Cases such as this are listed in the above chart as "ND".
- 4 2011/9/1 ~ 2011/9/8、2011/9/22 ~ 2011/9/26: Tamagawa River

5 Nagasawa Purification Plant (Sagamigawa River)

	1				1			1	(Bq/Rg)		
Sampling		Radioactive Id	dine			Radioactive Cesiu	ım		Radioactive Cesiu	ım	
Date		(Iodine131)				(Cesium134)			(Cesium137)		
2011/9/1	ND	(Detection Lim	it 0	7)	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.9)
2011/9/2	ND	(Detection Lim	it 0	.7)	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)
2011/9/3	ND	(Detection Lin	it 0	.8	ND	(Detection Limit	0.8)	ND	(Detection Limit	1)
2011/9/4	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.9)	ND	(Detection Limit	0.8)
2011/9/5	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.9)	ND	(Detection Limit	0.9)
2011/9/6	ND	(Detection Lim	it 0	.7)	ND	(Detection Limit	0.9)	ND	(Detection Limit	0.8)
2011/9/7	ND	(Detection Lim	it 0	.7)	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)
2011/9/8	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)
2011/9/9	ND	(Detection Lim	it 0	.7)	ND	(Detection Limit	0.9)	ND	(Detection Limit	0.8)
2011/9/10	ND	(Detection Lim	it 0	.7)	ND	(Detection Limit	0.9)	ND	(Detection Limit	0.9)
2011/9/11	ND	(Detection Lin	it 0	.7)	ND	(Detection Limit	0.9)	ND	(Detection Limit	0.9)
2011/9/12	ND	(Detection Lin	it 0	.7)	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.8)
2011/9/13	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	1)	ND	(Detection Limit	0.9)
2011/9/14	ND	(Detection Lim	it 0	.7)	ND	(Detection Limit	0.8)	ND	(Detection Limit	1)
2011/9/15	ND	(Detection Lim	it 0	.7)	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.9)
2011/9/16	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.8)
2011/9/17	ND	(Detection Lim	it 0	.7)	ND	(Detection Limit	0.9)	ND	(Detection Limit	0.9)
2011/9/18	ND	(Detection Lim	it 0	.6	ND	(Detection Limit	0.9)	ND	(Detection Limit	0.8)
2011/9/19	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)
2011/9/20	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)
2011/9/21	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)
2011/9/22	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.9)
2011/9/23	ND	(Detection Lim	it 0	.7)	ND	(Detection Limit	0.9)	ND	(Detection Limit	0.9)
2011/9/24	ND	(Detection Lim	it 0	7)	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.8)
2011/9/25	ND	(Detection Lim	it 0	7)	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)
2011/9/26	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.8)
2011/9/27	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)
2011/9/28	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.8)
2011/9/29	ND	(Detection Lim	it 0	.8	ND	(Detection Limit	0.9)	ND	(Detection Limit	0.9)
2011/9/30	ND	(Detection Lim	it 0	7)	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.9)

- 1 Sampling time: 6:00 A.M.
- 2 Testing institute: Water Quality Management Center
- 3 ND (Not detectable): "Detection Limit" refers to the minimum detectable value. Radioactivity has the property wherein even using the same measurement device, the minimum level varies with the sample being

measured. For example, a result of "ND (Detection Limit 0.8)" at X Purification Plant on a specific date means that the minimum measurement for that day's sample was 0.8 Bq/kg, but the concentration of radioactive particles in the sample was less than 0.8 Bq/kg. Cases such as this are listed in the above chart as "ND".

6 Kinuta Purification Plant (Tamagawa River)

(Bq/kg)

Sampling		Radioactive Iodin	e		Radioactive Cesiu	m		Radioactive Cesiu	m
Date		(Iodine 131)			(Cesium 134)			(Cesium 137)	
2011/9/1	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.7)	ND	(Detection Limit	1)
2011/9/8	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)
2011/9/15	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.8)	ND	(Detection Limit	1)
2011/9/22	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.8)	ND	(Detection Limit	1)
2011/9/29	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.9)

- I Sampling time: 9:00 A.M.
- 2 Testing institute: Water Quality Management Center
- 3 ND (Not detectable): "Detection Limit" refers to the minimum detectable value. Radioactivity has the property wherein even using the same measurement device, the minimum level varies with the sample being measured. For example, a result of "ND (Detection Limit 0.8)" at X Purification Plant on a specific date means that the minimum measurement for that day's sample was 0.8 Bq/kg, but the concentration of radioactive particles in the sample was less than 0.8 Bq/kg. Cases such as this are listed in the above chart as "ND".

7 Kinutashimo Purification Plant (Tamagawa River)

(Bq/kg)

Sampling		Radioactive Iodin	e		Radioactive Cesiu	m		Radioactive Cesiu	m
Date		(Iodine 131)			(Cesium 134)			(Cesium 137)	
2011/9/2	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.9)
2011/9/9	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.9)
2011/9/16	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)
2011/9/23	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)	ND	(Detection Limit	0.9)
2011/9/30	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.7)	ND	(Detection Limit	1)

- 1 Sampling time: 9:00 A.M.
- 2 Testing institute: Water Quality Management Center
- 3 ND (Not detectable): "Detection Limit" refers to the minimum detectable value. Radioactivity has the property wherein even using the same measurement device, the minimum level varies with the sample being measured. For example, a result of "ND (Detection Limit 0.8)" at X Purification Plant on a specific date means that the minimum measurement for that day's sample was 0.8 Bq/kg, but the concentration of radioactive particles in the sample was less than 0.8 Bq/kg. Cases such as this are listed in the above chart as "ND".

8 Misato Purification Plant (Edogawa River)

								, 1 O	
Sampling		Radioactive Iodine			Radioactive Cesiu	m		Radioactive Cesiu	m
Date		(Iodine 131)			(Cesium 134)			(Cesium 137)	
2011/9/5	ND	(Detection Limit 0).7)	ND	(Detection Limit	0.7)	ND	(Detection Limit	0.9)
2011/9/12	ND	(Detection Limit 0	0.8)	ND	(Detection Limit	0.9)	ND	(Detection Limit	1)
2011/9/19	ND	(Detection Limit 0	0.8)	ND	(Detection Limit	0.8)	ND	(Detection Limit	0.9)
2011/9/26	ND	(Detection Limit 0).7	ND	(Detection Limit	0.9)	ND	(Detection Limit	1)

- Sampling time: 9:00 A.M.
- 2 Testing institute: Water Quality Management Center

3 ND (Not detectable): "Detection Limit" refers to the minimum detectable value. Radioactivity has the property wherein even using the same measurement device, the minimum level varies with the sample being measured. For example, a result of "ND (Detection Limit 0.8)" at X Purification Plant on a specific date means that the minimum measurement for that day's sample was 0.8 Bq/kg, but the concentration of radioactive particles in the sample was less than 0.8 Bq/kg. Cases such as this are listed in the above chart as "ND".

9 Misono Purification Plant (Arakawa River)

(Bq/kg)

Sampling	Radioactive Iodine	Radioactive Cesium	Radioactive Cesium
Date	(Iodine 131)	(Cesium 134)	(Cesium 137)
2011/9/6	ND (Detection Limit 0.8)	ND (Detection Limit 0.9)	ND (Detection Limit 0.9)
2011/9/13	ND (Detection Limit 0.8)	ND (Detection Limit 0.8)	ND (Detection Limit 0.9)
2011/9/20	ND (Detection Limit 0.7)	ND (Detection Limit 0.8)	ND (Detection Limit 0.9)
2011/9/27	ND (Detection Limit 0.8)	ND (Detection Limit 0.8)	ND (Detection Limit 0.9)

- 1 Sampling time: 9:00 A.M.
- 2 Testing institute: Water Quality Management Center
- 3 ND (Not detectable): "Detection Limit" refers to the minimum detectable value. Radioactivity has the property wherein even using the same measurement device, the minimum level varies with the sample being measured. For example, a result of "ND (Detection Limit 0.8)" at X Purification Plant on a specific date means that the minimum measurement for that day's sample was 0.8 Bq/kg, but the concentration of radioactive particles in the sample was less than 0.8 Bq/kg. Cases such as this are listed in the above chart as "ND".
- 4 2011/9/6: Arakawa River , Tamagawa River

10 Sakai Purification Plant (Tamagawa River)

(Bq/kg)

Sampling	Radioactive Iodine			Radioactive Cesium		Radioactive Cesium		
Date	(Iodine 131)		(Cesium 134)		(Cesium 137)			
2011/9/7	ND	(Detection Limit 0.6)	ND	(Detection Limit 0.8	3)	ND	(Detection Limit	0.7)
2011/9/14	ND	(Detection Limit 0.8)	ND	(Detection Limit 0.8	3)	ND	(Detection Limit	0.9)
2011/9/21	ND	(Detection Limit 0.6)	ND	(Detection Limit 0.8	3)	ND	(Detection Limit	1)
2011/9/28	ND	(Detection Limit 0.7)	ND	(Detection Limit 0.9)	ND	(Detection Limit	0.9)

- 1 Sampling time: 9:00 A.M.
- 2 Testing institute: Water Quality Management Center
- 3 ND (Not detectable): "Detection Limit" refers to the minimum detectable value. Radioactivity has the property wherein even using the same measurement device, the minimum level varies with the sample being measured. For example, a result of "ND (Detection Limit 0.8)" at X Purification Plant on a specific date means that the minimum measurement for that day's sample was 0.8 Bq/kg, but the concentration of radioactive particles in the sample was less than 0.8 Bq/kg. Cases such as this are listed in the above chart as "ND".

【Reference】 (Bq/kg)

	Radioactive Iodine (Iodine 131)	Radioactive Cesium
Japanese provisional (emergency) criteria for infants	100	Not specified
Japan provisional (emergency) criteria for all except infants *1	300	200

^{*1} Criteria value related to radioactive elements ingestion from food and drink set by Nuclear Safety Commission